

SEARCH HISTORY

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	memory and counter and (increment with address) and (first with (array with address)) and (clock with signal) and comparator and (second with (array with address)) and match\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 10:49
L2	7344	memory and counter and (increment with address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 10:49
L3	4412	2 and (first with address) and (second with address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 10:49
L4	1088	3 and comparator and match\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 10:50
L5	0	4 and (refressh with address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 10:50
L6	157	4 and (refresh with address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 10:50
L7	84	6 and (first with cycle) and (second with cycle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 10:50
L8	81	7 and clock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 10:51

L9	0	8 and (first with array) and (second with array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 10:51
L10	39	8 and (first with array) and (second with array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 10:51
L11	6	10 and ((neighbor\$4 or adjacent) with array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 10:52
L12	6	11 and differ\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 10:53
L13	834	2 and "365"/\$7.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 10:54
L14	3	13 and oh-jong-hoon.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 10:53
L15	9	13 and 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 10:54
L16	0	(memory and counter and increment and (first with array) and (second with array) and address and comparator and (first with cycle) and (address with matches) and (neighbor\$3 with array) and (second with cycle) and (refresh with address) and different).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 10:59

L17	0	(memory and counter and increment and (first with array) and (second with array) and adress and comparator and (first with cycle) and (address with matches) and (neighbor\$3 with array) and (second with cycle) and (refresh with address) and different).clm.	US-PGPUB; USPAT	OR	OFF	2005/10/31 10:59
-----	---	--	--------------------	----	-----	------------------